

-2-

**CLAIMS**

1. (previously presented) A storage library for recording and retrieving information from a plurality of storage media cartridges, the storage library comprising:

a housing having a left side, a right side, a front side, and a back side;  
a left plurality of slots disposed proximate the left side of the housing for holding some of the plurality of storage media cartridges;

a right plurality of slots disposed proximate the right side of the housing for holding some of the plurality of storage media cartridges;

at least one media drive disposed proximate the back side of the housing; and

a robotic mechanism disposed between the left multitude of slots and the right multitude of slots, the robotic mechanism being operative to move the plurality of cartridges between the plurality of slots and the at least one media drive, wherein the robotic mechanism comprises:

a picker assembly operative to insert and remove at least one storage media cartridge of the plurality of storage media cartridges from the left plurality of slots, the right plurality of slots, and the at least one media drive;

a first linear carriage operative to move the picker assembly along a first path approximately perpendicular to the back side of the housing; and

a second linear carriage operative to move the picker assembly from a position which allows access to at least one of the left multitude of slots to a position which allows access to at least one of the right multitude of slots.

2. (canceled)

3. (canceled)

Serial No. 10/626,986

Attorney Docket No. 99-043-TAZ

-3-

4. (canceled)
5. (canceled)
6. (canceled)
7. (canceled)
8. (canceled)
9. (canceled)
10. (canceled)
11. (canceled)
12. (canceled)
13. (canceled)

14. (currently amended) In a storage library for recording and retrieving information from a plurality of storage media cartridges, the storage library comprising a left plurality of slots disposed proximate a left side of the housing for holding some of the plurality of storage media cartridges, a right plurality of slots disposed proximate a right side of the housing for holding some of the plurality of storage media cartridges, and at least one media drive disposed proximate the back side of the housing, a method comprising the steps of:

transporting a robotic mechanism along a first linear carriage disposed between the left plurality of slots and the right plurality of slots to move along a first path approximately perpendicular to a back side of the housing; and

transporting the robotic mechanism along a second linear carriage to move the robotic mechanism from a position which allows access by the robotic mechanism to

Serial No. 10/626,986

Attorney Docket No. 99-043-TAZ

-4-

at least one of the left ~~multitude~~ plurality of slots to a position which allows access by the robotic mechanism to at least one of the right ~~multitude~~ plurality of slots.

15. (canceled)

16. (currently amended) The method of Claim ~~15~~ 14, further comprising the steps of inserting and removing at least one storage media cartridge of the plurality of storage media cartridges from the left plurality of slots, the right plurality of slots, and the at least one media drive by a picker assembly ~~disposed on the carriage portion of the robotic mechanism~~, the picker assembly portion of the robotic mechanism being operable for inserting a storage media cartridge in a slot and removing the storage media cartridge from the slot.

17. (newly added) The storage library of Claim 1, wherein the front side of the housing has an opening, wherein each storage media cartridge has a label side, wherein the left and right plurality of slots and the plurality of storage media cartridges are oriented so that each label side of the plurality of storage media cartridges is visible to an operator through the opening, and wherein each of the left and right plurality of slots are accessible to the operator via the opening for the operator to access the storage media cartridges being held by the left and right plurality of slots without complete entry of the operator into the storage library.

18. (newly added) The storage library of Claim 17, wherein each storage media cartridge has a bar code on the label side, the storage library further comprising a bar-code reader disposed on the robotic mechanism and operative to read the bar-code on the label side of each storage media cartridge.

19. (newly added) The method of Claim 14, wherein the front side of the housing has an opening, wherein each storage media cartridge has a label side, wherein the left and right plurality of slots and the plurality of storage media cartridges are oriented so that each label side of the plurality of storage media cartridges is visible to an operator through the opening, and wherein each of

-5-

the left and right plurality of slots are accessible to the operator via the opening, and further comprising a step of accessing each of the storage media cartridges being held by the left and right plurality of slots by the operator without complete entry of the operator into the storage library.

20. (newly added) The method of Claim 19, wherein each storage media cartridge has a bar code on the label side, the storage library further comprising a bar-code reader disposed on the robotic mechanism and further comprising a step of reading the bar-code on the label side of at least one of the storage media cartridges.

21. (newly added) A storage library for recording and retrieving information from a plurality of storage media cartridges, the storage library comprising:

- a housing having a left side, a right side, a front side, and a back side;
- a left plurality of slots disposed proximate the left side of the housing for holding some of the plurality of storage media cartridges;

- a right plurality of slots disposed proximate the right side of the housing for holding some of the plurality of storage media cartridges;

- at least one media drive disposed proximate the back side of the housing, the at least one media drive being operative to receive one storage media cartridge of the plurality of storage media cartridges through a port; and

- a robotic mechanism disposed between the left multitude of slots and the right multitude of slots, the robotic mechanism being operative to move the plurality of cartridges between the plurality of slots and the at least one media drive, wherein the robotic mechanism comprises:

- a first linear carriage disposed between the left plurality of slots and the right plurality of slots, and operative to move along a first path approximately perpendicular to the back side of the housing;

-6-

a rotational carriage disposed on the first linear carriage and operative to rotate between the left plurality of slots, the right plurality of slots, and the at least one media drive; and

a picker assembly disposed on the rotational carriage and operative to insert and remove at least one storage media cartridge of the plurality of storage media cartridges from the left plurality of slots, the right plurality of slots, and the at least one media drive.

22. (newly added) The storage library of Claim 21, wherein the at least one media drive is at least two media drives, the storage library further comprising a rear linear carriage disposed between the at least two media drives and the housing, and operative to move the at least two media drives approximately parallel to the back side of the housing to align each media drive one at a time with the picker assembly.

23. (newly added) The storage library of Claim 21, wherein the front side of the housing has an opening, wherein each storage media cartridge has a label side, wherein the left and right plurality of slots and the plurality of storage media cartridges are oriented so that each label side of the plurality of storage media cartridges is visible to an operator through the opening, and wherein each of the left and right plurality of slots are accessible to the operator via the opening for the operator to access the storage media cartridges being held by the left and right plurality of slots without complete entry of the operator into the storage library.

24. (newly added) The storage library of Claim 23, wherein each storage media cartridge has a bar code on the label side, the storage library further comprising a bar-code reader disposed on the robotic mechanism and operative to read the bar-code on the label side of each storage media cartridge.


Serial No. 10/626,986

Attorney Docket No. 99-043-TAZ

-7-

Applicants have amended the entire Claims section and that section now meets the requirements of 37 CFR 1.121 in response to the Notice of Non-Compliant Amendment.

Respectfully submitted,  
TIMOTHY C. OSTWALD ET AL.

By:   
Timothy R. Schulte  
Registration No. 29,013  
Attorney for Applicant

Date: December \_\_, 2004  
STORAGE TECHNOLOGY CORPORATION  
One StorageTek Drive, MS-4309  
Louisville, Colorado 80028-4309  
Telephone: (303) 673-5989  
Facsimile: (303) 673-4151

Serial No. 10/626,986

Attorney Docket No. 99-043-TAZ